L Number	Hits	Search Text	DB	Time stamp
- r wamper	1322	(717/124 or 717/125 or 717/127 or 717/129	USPAT;	2004/07/19 17:47
	2022	or 717/130).clss	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	700	(1) 116106 1316.00 3	IBM_TDB	2004/07/19 17:48
-	720	<pre>(identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or label\$4</pre>	USPAT; US-PGPUB;	2004/07/19 17:40
		or categoriz\$3 or pinpoint\$3 or denot\$3 or	EPO; JPO;	
		indicat\$3) with (constructor\$1 or	DERWENT;	
		creator\$1) with (class\$2 or interface\$1 or	IBM_TDB	
		object\$1)		
-	719	(display\$3 or show\$3 or \$2present\$6 or	USPAT;	2004/07/19 17:48
		communicat\$3) with (constructor\$1 or creator\$1) with (class\$2 or interface\$1 or	US-PGPUB; EPO; JPO;	
		object\$1)	DERWENT;	
		025000127	IBM TDB	
-	238	(select\$3 or choos\$3 or chose\$1 or	USPAT;	2004/07/19 17:48
		elect\$3) with (constructor\$1 or creator\$1)	US-PGPUB;	
		with (class\$2 or interface\$1 or object\$1)	EPO; JPO; DERWENT;	
			IBM TDB	
_	3998	(set\$4 or insert\$3 or establish\$3 or	USPAT;	2004/07/19 18:51
		embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
	709	point\$1)) (set\$4 or insert\$3 or establish\$3 or	IBM_TDB USPAT;	2004/07/19 17:48
-	'09	embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	2001,01,15 17.40
		install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
		add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
		point\$1)) with (statement\$1 or	IBM_TDB	
	001	instruction\$1) (remov\$3 or delet\$3 or eliminat\$3 or	USPAT;	2004/07/19 19:21
	991	edit\$3) with (breakpoint\$1 or (break adj	US-PGPUB;	2004/07/15 15.21
		point\$1))	EPO; JPO;	
1			DERWENT;	
		100	IBM_TDB	0004/07/10 17:40
_	398	(stor\$3 or log\$3 or sav\$3 or record\$3 or	USPAT; US-PGPUB;	2004/07/19 17:49
		<pre>writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with</pre>	EPO; JPO;	
		(structure\$1 or repositor\$3 or database\$1	DERWENT;	
		or table\$1 or storage\$1)	IBM_TDB	
-	71002	(insert\$3 or add\$3 or embed\$4 or set\$4)	USPAT;	2004/07/19 17:49
		with (code\$1 or instruction\$1 or routine\$1	US-PGPUB; EPO; JPO;	
		or procedure\$1) with (constructor\$1 or creator\$1 or method\$1 or function\$1)	DERWENT;	
		SIGGEOTAT OF WORMOND OF FUNCTIONAL	IBM TDB	
_	457	(hit\$4 or encounter\$3) with (breakpoint\$1	USPAT;	2004/07/19 17:49
		or (break adj point\$1))	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	28615	(halt\$3 or interrupt\$3 or paus\$3 or	USPAT;	2004/07/19 17:49
		suspend\$3 or stop\$4) with execution	US-PGPUB;	
-			EPO; JPO;]
			DERWENT; IBM TDB	
_	133	(track\$3 or monitor\$3 or record\$3) with	USPAT;	2004/07/19 17:49
	133	(number\$3 or count\$3) with (breakpoint\$1	US-PGPUB;	
		or (break adj point\$1))	EPO; JPO;	
			DERWENT;	
	67570	/	IBM_TDB	2004/07/19 17:50
_	67570	(number\$3 or count\$3) with (meet\$3 or exceed\$3 or \$3pass\$3 or cross\$3 or hit\$3	USPAT; US-PGPUB;	2004/07/19 17:50
		or reach\$3) with (threshold\$1 or	EPO; JPO;	
		condition\$1 or limit\$5 or boundar\$3)	DERWENT;	
			IBM TDB	
	I	<u> </u>		

_	92199	(object\$1 or class\$2) with (creat\$3 or	USPAT;	2004/07/19 17:50
	, , , ,	instantiat\$3)	US-PGPUB; EPO; JPO;	,,
			DERWENT;	
_	1086418	(number\$3 or count\$3 or time\$1) with	IBM_TDB USPAT;	2004/07/19 17:50
		(increment\$3 or increas\$3)	US-PGPUB;	
			EPO; JPO; DERWENT;	
_	119	((hit\$4 or encounter\$3) with (breakpoint\$1	IBM_TDB USPAT;	2004/07/19 17:50
		or (break adj point\$1))) same ((halt\$3 or	US-PGPUB;	2004/0//13 17:30
		interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)	EPO; JPO; DERWENT;	
			IBM_TDB	0004/07/10 17 50
_	220	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or	USPAT; US-PGPUB;	2004/07/19 17:50
		labe1\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1	EPO; JPO; DERWENT;	
		or creator\$1) with (class\$2 or interface\$1	IBM_TDB	
_	100	or object\$1)) same user\$1 ((select\$3 or choos\$3 or chose\$1 or	USPAT;	2004/07/19 17:51
	100	elect\$3) with (constructor\$1 or creator\$1)	US-PGPUB;	2001, 07, 13 17101
		<pre>with (class\$2 or interface\$1 or object\$1)) same user\$1</pre>	EPO; JPO; DERWENT;	
	1	((((select\$3 or choos\$3 or chose\$1 or	IBM_TDB USPAT;	2004/07/19 17:51
_	1	elect\$3) with (constructor\$1 or creator\$1)	US-PGPUB;	2004/07/19 17:31
		with (class\$2 or interface\$1 or object\$1)) same user\$1) and ((set\$4 or insert\$3 or	EPO; JPO; DERWENT;	
		establish\$3 or embed\$4 or designat\$3 or	IBM_TDB	
		anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or		
		(break adj point\$1)))) and ((717/124 or		
		717/125 or 717/127 or 717/129 or 717/130).clss)		
-	1	((US-5560009-\$ or US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or	USPAT; US-PGPUB;	2004/07/19 17:51
		US-6240549-\$ or US-6240545-\$ or	EPO; JPO;	
		US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or	DERWENT; IBM TDB	
		US-4885717-\$).did. or	_	
		(US-20030106045-\$).did.) and ((number\$3 or count\$3) with (meet\$3 or exceed\$3 or		
		\$3pass\$3 or cross\$3 or hit\$3 or reach\$3) with (threshold\$1 or condition\$1 or		
		limit\$5 or boundar\$3))	HODAT	0004/07/10 10 70
-	28	((identifi\$6 or identify\$3 or determin\$5 or display\$3 or mark\$3 or analyz\$3 or	USPAT; US-PGPUB;	2004/07/19 18:53
		labe1\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1	EPO; JPO; DERWENT;	
		or creator\$1) with (class\$2 or interface\$1	IBM_TDB	
_	2	or object\$1)) same (user near5 input) (((identifi\$6 or identify\$3 or determin\$5	USPAT;	2004/07/19 19:14
		or display\$3 or mark\$3 or analyz\$3 or	US-PGPUB;	
		labe1\$4 or categoriz\$3 or pinpoint\$3 or denot\$3 or indicat\$3) with (constructor\$1	EPO; JPO; DERWENT;	
		or creator\$1) with (class\$2 or interface\$1	IBM_TDB	
		or object\$1)) same (user near5 input)) and ((717/124 or 717/125 or 717/127 or 717/129		
		or 717/130).clss)	l	

-	3	(((hit\$4 or encounter\$3) with	USPAT;	2004/07/19 17:51
		(breakpoint\$1 or (break adj point\$1)))	US-PGPUB;	
		same ((halt\$3 or interrupt\$3 or paus\$3 or	EPO; JPO;	
		suspend\$3 or stop\$4) with execution)) and	DERWENT;	
		(((identifi\$6 or identify\$3 or determin\$5	IBM_TDB	
		or display\$3 or mark\$3 or ana1yz\$3 or		
		label\$4 or categoriz\$3 or pinpoint\$3 or		
		denot\$3 or indicat\$3) with (constructor\$1		
		or creator\$1) with (class\$2 or interface\$1		
		or object\$1)) and ((set\$4 or insert\$3 or		
		establish\$3 or embed\$4 or designat\$3 or		
		anchor\$3 or install\$5 or implement\$5 or		
		creat\$3 or add\$3) with (breakpoint\$1 or		
		(break adj point\$1))))		
_	9	(((identifi\$6 or identify\$3 or determin\$5	USPAT;	2004/07/19 17:51
		or display\$3 or mark\$3 or ana1yz\$3 or	US-PGPUB;	
		label\$4 or categoriz\$3 or pinpoint\$3 or	EPO; JPO;	1
		denot\$3 or indicat\$3) with (constructor\$1	DERWENT;	
-		or creator\$1) with (class\$2 or interface\$1	IBM TDB	
		or object\$1)) same user\$1) and ((set\$4 or		
1		insert\$3 or establish\$3 or embed\$4 or		1
		designat\$3 or anchor\$3 or install\$5 or		
		implement\$5 or creat\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1)))		
-	6	(((select\$3 or choos\$3 or chose\$1 or	USPAT;	2004/07/19 17:51
		elect\$3) with (constructor\$1 or creator\$1)	US-PGPUB;	
		with (class\$2 or interface\$1 or object\$1)	EPO; JPO;	
) same user\$1) and ((set\$4 or insert\$3 or	DERWENT;	
	:	establish\$3 or embed\$4 or designat\$3 or	IBM TDB	
ļ		anchor\$3 or install\$5 or implement\$5 or		
		creat\$3 or add\$3) with (breakpoint\$1 or		
		(break adj point\$1)))		
_	2	(((select\$3 or choos\$3 or chose\$1 or	USPAT;	2004/07/19 17:51
		elect\$3) with (constructor\$1 or creator\$1)	US-PGPUB;	2004,07,13 17.31
		with (class\$2 or interface\$1 or object\$1)	EPO; JPO;	
) same user\$1) and ((717/124 or 717/125 or	DERWENT;	
		717/127 or 717/129 or 717/130).clss)	IBM TDB	
_	5	((717/124 or 717/125 or 717/127 or 717/129	USPĀT;	2004/07/19 17:51
		or 717/130).clss) and ((select\$3 or	US-PGPUB;	2001,01,13 11.01
İ		choos\$3 or chose\$1 or elect\$3) with	EPO; JPO;	
		(constructor\$1 or creator\$1) with (class\$2	DERWENT;	
		or interface\$1 or object\$1))	IBM TDB	
_	29	5740440.URPN.	USPAT	2004/07/19 17:51
_	4	("4885717" "5093914" "5339433"	USPAT	2004/07/19 17:51
	4	"5361351").PN.	OSTAT	2004/07/13 17.31
_	12	(US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
	12	US-6266806-\$ or US-6266805-\$ or	US-PGPUB	
		US-6240549-\$ or US-6240545-\$ or	70 10101	
		US-6189140-\$ or US-5960199-\$ or		
		US-5940616-\$ or US-5926638-\$ or		
		US-4885717-\$).did. or		
		(US-20030106045-\$).did.		
_	3	((US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
		US-6266806-\$ or US-6266805-\$ or	US-PGPUB	2001,01,13
		US-6240549-\$ or US-6240545-\$ or	30 13101	
		US-6189140-\$ or US-5960199-\$ or		
		US-5940616-\$ or US-5926638-\$ or		
		US-4885717-\$).did. or		
		(US-20030106045-\$).did.) and ((identifi\$6	•	
		or identify\$3 or determin\$5 or display\$3		
		or mark\$3 or analyz\$3 or label\$4 or		
		categoriz\$3 or pinpoint\$3 or denot\$3 or		
		indicat\$3) with (constructor\$1 or		
1		<pre>creator\$1) with (class\$2 or interface\$1 or object\$1))</pre>		

-	7	((US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
		US-6266806-\$ or US-6266805-\$ or	US-PGPUB	
		US-6240549-\$ or US-6240545-\$ or		
		US-6189140-\$ or US-5960199-\$ or		
		US-5940616-\$ or US-5926638 - \$ or		
		US-4885717-\$).did. or		-20
		(US-20030106045-\$).did.) and ((set\$4 or		
		insert\$3 or establish\$3 or embed\$4 or		
		designat\$3 or anchor\$3 or install\$5 or		
		implement\$5 or creat\$3 or add\$3) with		
		(breakpoint\$1 or (break adj point\$1)))		
-	3	(((US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
		US-6266806-\$ or US-6266805-\$ or	US-PGPUB	
		US-6240549-\$ or US-6240545-\$ or		
		US-6189140-\$ or US-5960199-\$ or		
		US-5940616-\$ or US-5926638-\$ or		
		US-4885717-\$).did. or		
		(US-20030106045-\$).did.) and ((identifi\$6		
		or identify\$3 or determin\$5 or display\$3		
		or mark\$3 or analyz\$3 or labe1\$4 or		:
		categoriz\$3 or pinpoint\$3 or denot\$3 or		
		indicat\$3) with (constructor\$1 or		
		creator\$1) with (class\$2 or interface\$1 or		
		object\$1))) and (((US-5560009-\$ or		
		US-5740440-\$ or US-6266806-\$ or		
		US-6266805-\$ or US-6240549-\$ or		
		US-6240545-\$ or US-6189140-\$ or		
		US-5960199-\$ or US-5940616-\$ or		
		US-5926638-\$ or US-4885717-\$).did. or		
		(US-20030106045-\$).did.) and ((set\$4 or		
	:	insert\$3 or establish\$3 or embed\$4 or		
		designat\$3 or anchor\$3 or install\$5 or		
		implement\$5 or creat\$3 or add\$3) with	İ	
		(breakpoint\$1 or (break adj point\$1))))		
	2	((US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
		US-6266806-\$ or US-6266805-\$ or	US-PGPUB	
		US-6240549-\$ or US-6240545-\$ or		
		US-6189140-\$ or US-5960199-\$ or		
		US-5940616-\$ or US-5926638-\$ or		
		US-4885717-\$).did. or		
		(US-20030106045-\$).did.) and ((select\$3 or		
		choos\$3 or chose\$1 or elect\$3) with		
	1	(constructor\$1 or creator\$1) with (class\$2		
		or interface\$1 or object\$1))		
-	5	((US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
	1	US-6266806-\$ or US-6266805-\$ or	US-PGPUB	1
		US-6240549-\$ or US-6240545-\$ or		
		US-6189140-\$ or US-5960199-\$ or		
		US-5940616-\$ or US-5926638-\$ or	}	
		US-4885717-\$).did. or		
		(US-20030106045-\$).did.) and ((insert\$3 or		
		add\$3 or embed\$4 or set\$4) with (code\$1 or		
		instruction\$1 or routine\$1 or procedure\$1)		
		with (constructor\$1 or creator\$1 or		
		method\$1 or function\$1))		
-	1	((US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
		US-6266806-\$ or US-6266805-\$ or	US-PGPUB;	
		US-6240549-\$ or US-6240545-\$ or	EPO; JPO;	
		US-6189140-\$ or US-5960199-\$ or		
			IBM_TDB	
		US-4885717-\$).did. or		
		(US-20030106045-\$).did.) and ((stor\$3 or		
]		log\$3 or sav\$3 or record\$3 or writ\$3 or		
		collect\$3 or add\$3) with (breakpoint\$1 or		
		(break adj point\$1)) with (structure\$1 or		
		storage\$1))	1	i .
		US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$).did. or (US-20030106045-\$).did.) and ((stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or	DERWENT; IBM_TDB	

- 2	((US-5560009-\$ or US-5740440-\$ or	USPAT;	2004/07/19 17:51
		· ·	2004/01/19 11:31
1	US-6266806-\$ or US-6266805-\$ or	US-PGPUB;	
1	US-6240549-\$ or US-6240545-\$ or	EPO; JPO;	
	US-6189140-\$ or US-5960199-\$ or	DERWENT;	
	US-5940616-\$ or US-5926638-\$ or	IBM_TDB	
	US-4885717-\$).did. or		
	(US-20030106045-\$).did.) and ((track\$3 or		
1	monitor\$3 or record\$3) with (number\$3 or		
	count\$3) with (breakpoint\$1 or (break adj		
	point\$1)))	HODAM.	2004/07/10 17:51
- <u>-</u>	(USPAT;	2004/07/19 17:51
	US-6266806-\$ or US-6266805-\$ or	US-PGPUB;	
	US-6240549-\$ or US-6240545-\$ or	EPO; JPO;	
	US-6189140-\$ or US-5960199-\$ or	DERWENT;	
	US-5940616-\$ or US-5926638-\$ or	IBM_TDB	
	US-4885717-\$).did. or		
	(US-20030106045-\$).did.) and ((halt\$3 or		
i i	interrupt\$3 or paus\$3 or suspend\$3 or		
	stop\$4) with execution)	110000	0004/07/10 17 51
		USPAT;	2004/07/19 17:51
	US-6266806-\$ or US-6266805-\$ or	US-PGPUB;	
	US-6240549-\$ or US-6240545-\$ or	EPO; JPO;	
	US-6189140-\$ or US-5960199-\$ or	DERWENT;	
	US-5940616-\$ or US-5926638-\$ or	IBM_TDB	
	US-4885717-\$).did. or		
	(US-20030106045-\$).did.) and ((remov\$3 or		
	<pre>delet\$3 or eliminat\$3 or edit\$3) with (breakpoint\$1 or (break adj point\$1)))</pre>		
		USPAT;	2004/07/19 17:51
- 2	("5590330").PN.		2004/07/19 17:51
		US-PGPUB;	
		EPO; JPO;	
		DERWENT;	
_ 4	(set\$4 or insert\$3 or establish\$3 or	IBM_TDB USPAT;	2004/07/19 18:52
-			2004/07/19 18:32
	embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	1
	install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
	add\$3) with (breakpoint\$1 or (break adj	DERWENT; IBM TDB	
	point\$1)) with (construct\$1 or constructor\$1 or creator\$1) with (class\$2	TDM_TOB	
	or interface\$1 or object\$1)		
_ 2852		USPAT;	2004/07/19 18:54
_ 2032	display\$3 or mark\$3 or analyz\$3 or label\$4	US-PGPUB;	2004/07/13 10:31
	or categoriz\$3 or pinpoint\$3 or denot\$3 or	EPO; JPO;	
	indicat\$3) with (construct\$1 or	DERWENT;	
	constructor\$1 or creator\$1) with (class\$2	IBM TDB	
	or interface\$1 or object\$1)	-2	
- 3		USPAT;	2004/07/19 18:54
	embed\$4 or designat\$3 or anchor\$3 or	US-PGPUB;	
	install\$5 or implement\$5 or creat\$3 or	EPO; JPO;	
	add\$3) with (breakpoint\$1 or (break adj	DERWENT;	
	point\$1)) with (construct\$1 or	IBM TDB	
	constructor\$1 or creator\$1) with (class\$2		
	or interface\$1 or object\$1)) and		
	((identifi\$6 or identify\$3 or determin\$5		
	or display\$3 or mark\$3 or analyz\$3 or		
	label\$4 or categoriz\$3 or pinpoint\$3 or		1
	denot\$3 or indicat\$3) with (construct\$1 or		
	constructor\$1 or creator\$1) with (class\$2		
	or interface\$1 or object\$1))		
- 10	5845125.URPN.	USPAT	2004/07/19 18:59
- 9	(0030321	USPAT	2004/07/19 19:01
	"5764989" "5778230" "5812850"		
	"5845125" "5848274" "5854931").PN.		
- 1013		USPAT;	2004/07/19 19:21
	eliminat\$3 or edit\$3) with (breakpoint\$1	US-PGPUB;	
1	or (break adj point\$1))	EPO; JPO;	
	of (bleak da) point(+1/)	· ·	
	of (bleak day pointerly)	DERWENT; IBM TDB	

-	5	((identifi\$6 or identify\$3 or determin\$5	USPAT;	2004/07/19 19:22
		or display\$3 or mark\$3 or analyz\$3 or	US-PGPUB;	
		label\$4 or categoriz\$3 or pinpoint\$3 or	EPO; JPO;	
	•	denot\$3 or indicat\$3) with (construct\$1 or	DERWENT;	1
		constructor\$1 or creator\$1) with (class\$2	IBM TDB	
		or interface\$1 or object\$1)) and ((remov\$3	×	
		or cancel\$4 or delet\$3 or eliminat\$3 or		
		edit\$3) with (breakpoint\$1 or (break adj		
				1
	1.4	point\$1)))	110070	2004/07/20 15-25
_	14		USPAT	2004/07/20 15:25
-	0	5940616.URPN. and (interact\$5 same	USPAT	2004/07/20 15:26
		debug\$4)		
-	3	5940616.URPN. and debug\$4	USPAT	2004/07/20 15:26
-	0	("20030106045").PN.	USPAT	2004/07/20 16:34
-	0	("arnold.in").PN.	USPAT	2004/07/20 16:34
-	0	"arnold et al".in	USPAT	2004/07/20 16:35
_	0	Arnold\$.in	USPAT	2004/07/20 16:36
	14858		USPAT	2004/07/20 16:40
_	0	"Arnold et al".in.	USPAT	2004/07/20 16:37
_	0	9.src. and 997990.ap	USPAT	2004/07/20 16:38
_	0	9997990.ap	USPAT	2004/07/20 16:39
				1 ' '
_	0	Arnold\$.in. and @pd=20011130	USPAT	2004/07/20 16:41
-	0	Arnold\$.in. and @pd=20030605	USPAT	2004/07/20 16:42
_	0	@pd=20030605	USPAT	2004/07/20 16:42
-	13	((identifi\$6 or identify\$3 or determin\$5	USPAT;	2004/07/20 17:14
		or display\$3 or mark\$3 or analyz\$3 or	US-PGPUB;	1
		label\$4 or categoriz\$3 or pinpoint\$3 or	EPO; JPO;	·
		denot\$3 or indicat\$3) with (constructor\$1	DERWENT;	
		or creator\$1) with (class\$2 or interface\$1	IBM TDB	
		or object\$1)) and ((set\$4 or insert\$3 or	_	
		establish\$3 or embed\$4 or designat\$3 or		
		anchor\$3 or install\$5 or implement\$5 or		
1		creat\$3 or add\$3) with (breakpoint\$1 or		1
		(break adj point\$1)))		
	14		USPAT;	2004/07/21 12:31
_	14	1	US-PGPUB	2004/07/21 12:31
		US-5845125-\$ or US-6077312-\$ or	05-16108	
		US-6266806-\$ or US-6266805-\$ or		
		US-6240549-\$ or US-6240545-\$ or	1	
		US-6189140-\$ or US-5960199-\$ or		
1		US-5940616-\$ or US-5926638-\$ or		
		US-4885717-\$).did. or	1	
		(US-20030106045-\$).did.		
	4	((US-5740440-\$ or US-5560009-\$ or	USPAT;	2004/07/21 12:33
		US-5845125-\$ or US-6077312-\$ or	US-PGPUB	1
1		US-6266806-\$ or US-6266805-\$ or		1
		US-6240549-\$ or US-6240545-\$ or		
		US-6189140-\$ or US-5960199-\$ or	1	
1		US-5940616-\$ or US-5926638-\$ or	1	-
		US-4885717-\$).did. or		
				1
		(US-20030106045-\$).did.) and		!
		((breakpoint\$1 or (break adj point\$1))		
		with (construct\$1 or constructor\$1 or		
		creat\$3))		